

PRODUCT	PAGE
Economy steel security doors.....	62-65

## ECONOMY STEEL SECURITY DOORS

This section includes photographs and specifications of Precision’s line of economy steel security doors. Although these products are not manufactured at our Lynwood, CA facility, all items are welded, assembled and finished using high quality raw materials and are designed and priced to allow your customers the option of purchasing a quality, reasonably priced door.

For applications where finish, special options and custom features are critical, please go to section 2 of this catalog where our Precision made to order domestic steel security doors are shown.

Our economy line of steel security doors have a 90 day limited warranty against functional manufacturing defects only. Cosmetic defects do affect the applications and uses for which this door is designed. Due to these doors being a lower cost option to our domestic line of steel security doors, we cannot accept any returns or credits for cosmetic issues.

Only the standard sizes and colors shown are available on the Precision economy line of steel security doors.

### Standard “net” frame sizes

Standard “net” sizes shown indicate the typical “call-out” size plus the outside mounting frame. Please keep these dimensions in mind when ordering. If a standard sized door will not fit the opening measurements, please go to section 2, where “custom” sized product may be ordered.

Precision economy steel security doors come as **surface mount**.

The **standard sizes** indicated in this section represent “industry standard” door openings.

NO CUSTOM SIZES - for Custom Sizes refer to the Domestic Steel Section.

#### Economy steel security door dimensions for the Regal:

A. The net overall size, which includes the 3-piece mounting frame, is as follows:

Door Opening	Net Overall Size
2'8 in. x 6'8 in. (32 in. x 80 in.)	2'10-1/2 in. x 6'9-1/2 in. (34-1/2 in. x 81-1/2 in.)
3'0 in. x 6'8 in. (36 in. x 80 in.)	3'2-1/2 in. x 6'9-1/2 in. (38-1/2 in. x 81-1/2 in.)


#### Economy steel security door dimensions for the Flagstaff, Del Sol, & Monterrey:

A. The net overall size, which includes the 3-piece mounting frame, is as follows:

Door Opening	Net Overall Size
3'0 in. x 6'8 in. (36 in. x 80 in.)	3'3 in. x 6'9-3/4 in. (39 in. x 81-3/4 in.)

On products with perforated metal that is welded in place, the perforated metal may experience deformation and the item may have areas of insufficient finish.

To prevent oxidation (rust), touch up any scratches, chips, etc. with a quality rust inhibiting paint as soon as possible. In order to maintain a rust free finish, regularly inspect and re-paint as needed. In exposed, damp or coastal areas annual painting is recommended.




#### Features

- Standard sizes only - No custom sizes  
2'8 in. x 6'8 in. (34-1/2 in. x 81-1/2 in.)  
3'0 in. x 6'8 in. (38-1/2 in. x 81-1/2 in.)
- 1 in. sq. x 18 Ga. 3-piece steel mounting frame
- 3/4 in. sq. x 18 Ga. steel door frame
- 1/2 in. sq. x 18 Ga. vertical steel pickets
- 1/2 in. Flat bar horizontal steel pickets
- 1/8 in. Thick x 1/2 in. wide steel scroll design
- Double hole lock-box w/ 2-1/8 in. bore & 2-3/8 in. backset
- Tamper-proof hinges
- 24 Ga. expanded steel mesh for extra security
- Non-handed

#### Standard Finishes

- Black or white finish with matching expanded steel mesh
- No other color options available for this door




**Features**

- Standard size only - No custom sizes  
3'0 in. x 6'8 in. (39 in. x 81-3/4 in.)  
**3'0 in. x 8'0 in. (39 in. x 97-3/4 in.)**
- 1 in. x 1-1/2 in. x 18 Ga. pre-hung steel mounting frame
- 1 in. sq. x 18 Ga. steel door frame
- 1/2 in. sq. x 18 Ga. vertical pickets
- 3/4 in. sq. x 18 Ga. horizontal pickets
- Double hole lock-box w/ 2-1/8 in. bore & 2-3/8 in. backset
- Continuous 1/8 in. x 3/4 in. steel lock side "tamper guard"
- Tamper-proof hinges
- 24 Ga. expanded steel mesh for extra security
- Non-handed

**Standard Finishes**

- Black or white finish with matching expanded steel mesh
- No other color options available for this door






#### Features

- Standard sizes only - No custom sizes  
3'0 in. x 6'8 in. (39 in. x 81-3/4 in.)
- 1-1/4 in. sq. x 18 Ga. 3-piece steel mounting frame
- 1 in. x 2 in. x 18 Ga. steel door frame
- 1/2 in. sq. x 18 Ga. steel pickets
- Double hole lock-box w/ 2-1/8 in. bore & 2-3/8 in. backset
- Tamper-proof hinges
- 24 Ga. perforated steel mesh for extra security
- Non-handed

#### Standard Finishes

- Almond, black or white finish with matching perforated steel mesh
- No other color options available for this door



**Features**

- Standard size only - No custom sizes  
3'0 in. x 6'8 in. (39 in. x 81-3/4 in.)
- 1-1/4 in. sq. x 18 Ga. 3-piece steel mounting frame
- 1 in. sq. x 18 Ga. steel door frame
- 1/2 in. sq. x 18 Ga. vertical steel pickets
- 1/2 in. sq. x 18 Ga. horizontal steel pickets
- Two signature aluminum castings
- Double hole lock-box w/ 2-1/8 in. bore & 2-3/8 in. backset
- Tamper-proof hinges
- 24 Ga. perforated steel mesh for extra security
- Non-handed

**Standard Finishes**

- Black, bronze or white finish with matching perforated steel mesh
- No other color options available for this door

